


J900-01 SPIDER ASSY


| NO. | PART NO. | PART DESCRIPTION | QTY |
|-------|---------------------------|--------------------------|-----|
| 01-1 | J900-947-00609 | SPIDER | 1 |
| 01-2 | J900-947-00603 | TILT PLATE | 1 |
| 01-3 | J900-W01-NIS-55TNK29 | BEARING | 1 |
| 01-4 | J900-947-00605 | BEARING HOUSING | 1 |
| 01-5 | J900-TOL-T-001 | GREASE NIPPLE | 4 |
| 01-6 | J900-FN.N-M8-DIN-1 | NUT | 8 |
| 01-7 | J900-FN.B-M8x20-8.8-DIN-1 | BOLT | 4 |
| 01-8 | J900-50-000067 | SPIIDER BUSH | 4 |
| 01-9 | J900-W04-26x2 | O RING | 4 |
| 01-10 | J900-FN.B-M6x10-8.8-DIN-1 | BOLT | 4 |
| 01-11 | J900-HSPG.W6-DIN-1 | SPRING WASHER,TANG ENDS | 4 |
| 01-12 | J900-947-00604 | SPRING SLICE | 4 |
| 01-13 | J900-SHH.B-M8x25 | BOLT | 4 |
| 01-14 | J900-SC.PIN-5x40 | SPRING PIN | 4 |
| 01-15 | J900-947-00602 | TILT ARM | 4 |
| 01-16 | J900-111.8.002 | COMBINATION BLADE | 4 |
| 01-17 | J900-947-00601 | SPIDER ARM | 4 |
| 01-18 | J900-FN.W8-DIN-1 | WASHER | 8 |
| 01-19 | J900-HSPG.W8-DIN-1 | SPRING WASHER, TANG ENDS | 9 |
| 01-20 | J900-FN.B-M8x45-8.8-DIN-1 | BOLT | 8 |
| 01-21 | J900-FNL.N-M8-DIN-1 | HEXAGON THIN NUT | 4 |
| 01-22 | J900-FN.B-M8x35-8.8-DIN-1 | BOLT | 4 |
| 01-23 | J900-947-99945 | WASHER | 1 |
| 01-24 | J900-FN.B-M8x25-8.8-DIN-1 | BOLT | 1 |
| 01-25 | J900-100G-040305 | RUBBER WASHER | 1 |
| 01-26 | J900-CH.RG36 | INTERNAL CIRCLIP | 1 |
| 01-27 | J900-100GB-080000P | ROUND PAN | 1 |



| | | | | | |
|----------|-----|-------------|--------------|-------------|---------|
| Drawn | TTL | Model | J900 | Drawing No. | J900-01 |
| Checked | | Description | SPIDER ASSY. | | |
| Approved | | Date | 2013. 01. 03 | | |

J900-02 GEARBOX ASSY


| NO. | PART NO. | PART DESCRIPTION | QTY |
|-------|---------------------------|--------------------------|-----|
| 02-1 | J900-947-040001 | WORM GEAR BOX | 1 |
| 02-2 | J900-100GB-040107 | WORM GEAR | 1 |
| 02-3 | J900-W01-32206-J | BEARING | 2 |
| 02-4 | J900-100GB-040115 | WORM GEAR SHAFT | 1 |
| 02-5 | J900-Key.A-8x7x40 | KEY | 1 |
| 02-6 | J900-Key.A-8x7x45 | KEY | 1 |
| 02-7 | J900-W03-45x30x8 | OIL SEAL | 1 |
| 02-8 | J900-100GB-040402 | SEAL, TOP COVER | 1 |
| 02-9 | J900-100GB-040110 | TOP COVER | 1 |
| 02-10 | J900-FN.W8-DIN-1 | WASHER | 6 |
| 02-11 | J900-HSPG.W8-DIN-1 | SPRING WASHER ,TANG ENDS | 6 |
| 02-12 | J900-FN.B-M8x20-8.8-DIN-1 | BOLT | 6 |
| 02-13 | J900-100G-000004 | VENT SCREW | 1 |
| 02-14 | J900-FN.B-M6x25-8.8-DIN-1 | BOLT | 8 |
| 02-15 | J900-HSPG.W6-DIN-1 | SPRING WASHER ,TANG ENDS | 8 |
| 02-16 | J900-FN.W6-DIN-1 | WASHER | 8 |
| 02-17 | J900-100GB-040302 | CLOSE COVER | 1 |
| 02-18 | J900-100GB-040401 | SEAL,SIDE COVER | 2 |
| 02-19 | J900-W04-47.7x2.65 | O RING | 2 |
| 02-20 | J900-W01-32204-J | BEARING | 2 |
| 02-21 | J900-100GB-040111 | STOPPER | 2 |
| 02-22 | J900-100GB-041000 | OIL GAUGE | 1 |
| 02-23 | J900-ZH-D-M20 | WASHER | 1 |
| 02-24 | J900-120GB-040308 | WORM | 1 |
| 02-25 | J900-Key.A-5x5x32 | KEY | 1 |
| 02-26 | J900-100GB-040310 | SIDE COVER | 1 |
| 02-27 | J900-W03-40x20x8 | OIL SEAL | 1 |
| 02-28 | J900-FHSS.S-M8x12-GB-3 | GRUB SCREW | 2 |
| 02-29 | J900-947-99910 | GEARBOX PULLEY | 1 |
| 02-30 | J900-100G-060400 | TILT YOKE | 1 |
| 02-31 | J900-100G-060500 | SHAFT | 1 |
| 02-32 | J900-SP.PIN-2x26 | SPLIT PIN | 2 |



| | | |
|--------------|-----------------------------|------------------------|
| Drawn TTL | Model J900 | Drawing No. J900-02 |
| Checked | Description GEARBOX ASSY | |
| Approved | Date 2013. 01. 03 | |

J900-03 ENGINE BASE AND CLUTCH ASSY

| NO. 序号 | PART NO. 图号 | PART DESCRIPTION 品名 | QTY 数量 |
|-----------|---------------------------|---|-----------|
| 03-1 | J900-020000 | GUARD RING | 1 |
| 03-2 | J900-FN.W8-DIN-1 | WASHER | 4 |
| 03-3 | J900-HSPG.W8-DIN-1 | SPRING WASHER | 10 |
| 03-4 | J900-FN.B-M8x35-8.8-GB-1 | BOLT | 4 |
| 03-5 | J900-X1-J-10.4 | CABLE CLAMP | 1 |
| 03-6 | J900-PAN.S-M4x10 | PAN HEAD SCREW | 1 |
| 03-7 | J900-030400 | BACK PLATE | 1 |
| 03-8 | J900-HSF.S-M8x20-DIN-1 | SOCKET COUNTERSUNK HEAD SCREW | 4 |
| 03-9 | J900-W02-A29 | V-BELT | 1 |
| 03-10 | J900-947-00402 | BRACKET 1 | 1 |
| 03-11 | J900-FN.B-M5X12-8.8-DIN-1 | BOLT | 4 |
| 03-12 | J900-WOD.W8-GB-1 | WASHER | 6 |
| 03-13 | J900-FN.B-M8x20-8.8-DIN-1 | BOLT | 2 |
| 03-14 | J900-FN.W5 | WASHER | 4 |
| 03-15 | J900-947-000017 | LOCK NUT | 4 |
| 03-16 | J900-100G-030100 | BELT GUARD | 1 |
| 03-17 | J900-100G-030300 | BRACKET 2 | 1 |
| 03-18 | J900-FN.B-M8x40-8.DIN-1 | BOLT | 4 |
| 03-19 | J900-W05-GX160H1-SX | ENGINE | 1 |
| 03-20 | J900-Key.B-5x5x32 | KEY | 1 |
| 03-21 | J900-90GB-030500 | BUSH | 4 |
| 03-22 | J900-276-030400 | BUSH, PTO | 1 |
| 03-23 | J900-100GB-070101 | SHAFT | 1 |
| 03-24 | J900-W01-6007ZZ | BEARING | 1 |
| 03-25 | J900-100G-070500 | BUSH | 1 |
| 03-26 | J900-100GB-070105 | CLUTCH DRUM | 1 |
| 03-27 | J900-100G-070400 | CLUTCH BLOCK | 4 |
| 03-28 | J900-100G-070109 | SPRING | 1 |
| 03-29 | J900-FHSS.S-M8x12-GB-3 | GRUB SCREW | 1 |
| 03-30 | J900-100G-070300 | CLUTCH PLATE | 1 |
| 03-31 | J900-90GB-030600 | END CAP | 1 |
| 03-32 | J900-CETL.W8 | COUNTERSUNK EXTERNAL TOOTHED LOCK WASHER | 1 |
| 03-33 | J900-HSF.S-M8x35-DIN-1 | SOCKET COUNTERSUNK HEAD SCREW | 1 |




| | | | | | |
|----------|-----|-------------|-----------------------------|-------------|---------|
| Drawn | TTL | Model | J900 | Drawing No. | J900-03 |
| Checked | | Description | ENGINE BASE AND CLUTCH ASSY | | |
| Approved | | Date | 2013.01.04 | | |

J900-04 OPERATION HANDLE ASSY

| NO. | PART NO. | PART DESCRIPTION | QTY |
|-------|----------------------------|--------------------------|-----|
| 04-1 | J900-100G-010005 | WHEEL BLOCK | 1 |
| 04-2 | J900-100G-010004 | WHEEL | 1 |
| 04-3 | J900-SC.PIN-8x32 | SPRING PIN | 1 |
| 04-4 | J900-HSPG.W10-DIN-1 | SPRING WASHER,TANG ENDS | 2 |
| 04-5 | J900-FN.B-M10x35-8.8-DIN-1 | BOLT | 2 |
| 04-6 | J900-120GB-090100P | HANDLE BOTTOM | 1 |
| 04-7 | J900-100GBII-000003 | SPRING CLIP 2 | 1 |
| 04-8 | J900-100GBII-000001 | SPRING CLIP 1 | 1 |
| 04-9 | J900-HS.B-M5x8-8.8-GB-1 | SCREW | 5 |
| 04-10 | J900-100GBII-000002 | LIFTING TUBE | 1 |
| 04-11 | J900-947-06606 | SCREWD-TOMMY BAR | 1 |
| 04-12 | J900-SC.PIN-6x30 | SPRING PIN | 1 |
| 04-13 | J900-947-99947 | BAR | 1 |
| 04-14 | J900-SH.A-M12x40 | GRIP BALL | 1 |
| 04-15 | J900-SC.PIN-5x40 | SPRING PIN | 1 |
| 04-16 | J900-100G-010008P | PITCH CONTROL KNOB | 1 |
| 04-17 | J900-W01-51103-J | BEARING | 1 |
| 04-18 | J900-HS.B-M6x8-8.8-GB-1 | SCREW | 1 |
| 04-19 | J900-100G-010006 | BEARING COVER | 1 |
| 04-20 | J900-100G-010003 | ADJUSTING SCREW | 1 |
| 04-21 | J900-CS.RG16 | EXTERNAL CIRCLIP | 1 |
| 04-22 | J900-SC.PIN-5x30 | SPRING PIN | 1 |
| 04-23 | J900-100G-010002 | SLIDE BUSH | 1 |
| 04-24 | J900-120GB-000010 | DEPTH CONTROL CABLE ASSY | 1 |
| 04-25 | J900-FN.N-M6-DIN-1 | NUT | 2 |
| 04-26 | J900-100G-010001 | HANDLE COVER | 2 |
| 04-27 | J900-120GB-090200F | HANDLEBAR | 1 |
| 04-28 | J900-947-99998 | HANDLE FOAM | 1 |
| 04-29 | J900-120GB-000005 | HANDLE FABRIC | 1 |
| 04-30 | J900-F.S-M5x10 | COUNTERSUNK HEAD SCREW | 2 |
| 04-31 | J900-100G-010101 | CUTOUT SWITCH SHELL | 1 |
| 04-32 | J900-100G-010103 | CUTOUT SWITCH LEVER | 1 |
| 04-33 | J900-100G-010104 | CUTOUT SWITCH BUSH | 1 |
| 04-34 | J900-100G-010102 | CUTOUT COVER | 1 |
| 04-35 | J900-F.S-M3x30-DIN-1 | COUNTERSUNK HEAD SCREW | 1 |
| 04-36 | J900-100G-010107 | CUTOUT SWITCH REED | 1 |
| 04-37 | J900-100G-010105 | CUTOUT SWITCH OUTLET | 1 |
| 04-38 | J900-100G-010106 | CUTOUT SWITCH WASHER | 1 |
| 04-39 | J900-FN.W3-DIN-2 | WASHER | 1 |

J900-04 OPERATION HANDLE ASSY

| NO. | PART NO. | PART DESCRIPTION | QTY |
|-------|---------------------------|-----------------------------|-----|
| 04-40 | J900-FN.N-M3-DIN-2 | NUT | 2 |
| 04-41 | J900-F.S-M4x25-DIN-1 | COUNTERSUNK HEAD SCREW | 3 |
| 04-42 | J900-100G-000014 | WIRE HARNESS | 1 |
| 04-43 | J900-FN.B-M6x20-8.8-DIN-2 | BOLT | 2 |
| 04-44 | J900-HSPG.W6-DIN-1 | SPRING WASHER,TANG ENDS | 2 |
| 04-45 | J900-HC.N-M6-DIN-2 | CAP NUT | 2 |
| 04-46 | J900-HC.N-M10-DIN-2 | CAP NUT | 1 |
| 04-47 | J900-FNL.N-M10-DIN-2 | HEXAGON THIN NUT | 1 |
| 04-48 | J900-FN.W10-DIN-2 | WASHER | 2 |
| 04-49 | J900-70ND-060000 | THROTTLE LEVER | 1 |
| 04-50 | J900-FHSS.S-M6x8-GB-3 | SOCKET SCREW WITH FLAT HEAD | 1 |
| 04-51 | J900-HC.N-M8-DIN-2 | CAP NUT | 1 |
| 04-52 | J900-FNL.N-M8-DIN-2 | HEXAGON THIN NUT | 2 |
| 04-53 | J900-FHSS.S-M8x20-GB-3 | SOCKET SCREW WITH FLAT HEAD | 1 |
| 04-54 | J900-70ND-060001 | THROTTLE BODY | 1 |
| 04-55 | J900-70ND-060003 | BOLT | 1 |
| 04-56 | J900-70ND-060002 | THROTTLE GEAR | 1 |
| 04-57 | J900-W04-45x3 | O-RING | 1 |
| 04-58 | J900-70ND-060004 | SLIDER | 1 |
| 04-59 | J900-W06-S04-L1420x1620 | THROTTLE CABLE | 1 |
| 04-60 | J900-70ND-010018 | THROTTLE LEVER ASSY | |



| | | | | | |
|----------|-----|-------------|-----------------------|-------------|---------|
| Drawn | TTL | Model | J900 | Drawing No. | J900-04 |
| Checked | | Description | OPERATION HANDLE ASSY | | |
| Approved | | Date | 2013. 01. 03 | | |